





REBORN TO BE SAFE ADOUT

To take experience from history, it means reborn. Exactly it is what you need on your side for safety. Catch trends and comfort while working.

Arika Pro Boots is new generation of safety wellingtons. Build your Arika Pro Boots is new generation of safety wellingtons. Build your Arika from various options, just decide what you want. There is multiple options from length of boots to outsile type. Moreover, Arika

multiple options from length of boots to outsole type. Moreover, Anka and Vibrame* is with you for heavy conditions. Anka Pro Spots is a trademark of Meksa which is innonative and





Rule the Ground

Pro 900 series with Italian design: It provides a solid stance by preventing slipping with its polyurethane base, it offers comfort to your steps with its mold that hugs the foot. In addition, the standard PU base can be customized as TPU.



Water Resistant



ProFlex Fitting



Strong Grip



Midsele

Material Options Polyurethane Toe-Cap None, Fiber, Steel



None, None-Metallic, Steel PU, PU-TPU Outsole

















Vibram

VIBRAM is the world leader in high-performance soling systems.

VIBRAM is the world leader in high-performance using systems.

We combine cotting edge role designs with advanced rollbar compareds to deliver agintum performance. From votidear reconstition and englustration, to industrial safety previousments, and fashion catenda around the world, the VIBRAM yellow outcome workships unwariabled interaction, unaffer and





Material Options Polyurethane Toe-Cap

Midsele

Outsole



Heat-Resistant Confidence

It was produced to make your work easier. With its special structure that protects against heat up to 200 °C and its rubber sale produced by Vibram*, it provides premium confidence to



Resistant up to 300°C































Solid Comfort

its polyurethane base prevents elipping and supports your even in the most difficult environments. It offers comfort to



Water Resistant



ProFlex Fitting





None, None-Metallic, Steel











Material Options Upper Polyurethane Midsole

Outselle



OU(50/e options









PU-TPU RUBBER

Build Your



MODEL LIST

Model	Standard	Height	Toe Prot.	Midsole Prot.	Outsole	Lining	Color Options
Pro 904	O4 SR	Long	None	None	PU-TPU	Regular	Green, Black, White Blue, Yellow
Pro 904	OS SR	Long	None	Steel	PU-TPU	Regular	
Pro 904	54 SR	Long	Steel	None	PU-TPU	Regular	
Pro 904	SS SR	Long	Steel	Steel	PU-TPU	Regular	
Pro 904 Rigger	04 SR	Short	None	None	PU-TPU	Warm	Green, Black, White Blue, Yellow
Pro 904 Rigger	OS SR	Short	None	Steel	PU-TPU	Warm	
Pro 904 Rigger	54 SR	Short	Steel	None	PU-TPU	Warm	
Pro 904 Rigger	55 SR	Short	Steel	Steel	PU-TPU	Warm	
Pro 905	OS SR	Long	None	Non-metallic	PU-TPU	Regular	Green, Black, White Blue, Yellow
Pro 905	S4 SR	Long	Fiber	None	PU-TPU	Regular	
Pro 905	55 SR	Long	Fiber	Non-metallic	PU-TPU	Regular	
Pro 905 Rigger	OS SR	Short	None	Non-metallic	PU-TPU	Warm	Green, Black, White Blue, Yellow
Pro 905 Rigger	54 SR	Short	Fiber	None	PU-TPU	Warm	
Pro 905 Rigger	55 SR	Short	Fiber	Non-metallic	PU-TPU	Warm	
Pro 906	04 SR	Long	None	None	PU	Regular	Green, Black, White Blue, Yellow
Pro 906	OS SR	Long	None	Steel	PU	Regular	
Pro 904	54 SR	Long	Steel	None	PU	Regular	
Pro 906	55 SR	Long	Steel	Steel	PU	Regular	
Pro 904 Rigger	04 SR	Short	None	None	PU	Warm	Green, Black, Whit Blue, Yellow
Pro 906 Rigger	OS SR	Short	None	Steel	PU	Warm	
Pro 904 Rigger	54 SR	Short	Steel	None	PU	Warm	
Pro 906 Rigger	55 SR	Short	Steel	Steel	PU	Warm	
Pro 907	OS SR	Long	None	Non-metallic	PU	Regular	Green, Black, Whit Blue, Yellow
Pro 907	S4 SR	Long	Fiber	None	PU	Regular	
Pro 907	55 SR	Long	Fiber	Non-metallic	PU	Regular	
Pro 907 Rigger	OS SR	Short	None	Non-metallic	PU	Warm	Green, Black, White Blue, Yellow
Pro 907 Rigger	54 SR	Short	Fiber	None	PU	Warm	
Pro 907 Rigger	55 SR	Short	Fiber	Non-metallic	PU	Warm	
Pro 908	OSSR	Long	None	Steel	RUBBER	Regular	Green, Black, Yello
Pro 900	54 SR	Long	Steel	None	RUDDER	Regular	
Pro 908	55 58	Long	Steel	Steel	RUBBER	Regular	
Pro 909	04 SR	Long	None	None	RUBBER	Regular	Green, Black, Yello
Pro 909	OS SR	Long	None	Non-metallic	RUBBER	Regular	
Pro 909	S4 SR	Long	Fiber	None	RUDDER	Regular	
	SS SR	Long	Fiber	Non-metallic		Regular	



Arri-etaric footwear

D:_____

Sole resistant to oil and hydroca

Ansi-perforation protection

Heat resistance of outside (+300 *C/res)

Heat insulation

CE Label Information

A shoe that bears the sign CE, has passed the mondatory tests relating to the EN ISO 20345:2022 and EN ISO 20347:2022 standarts and has been produced of highoerformance material.

EN ISO 20345:2022 EN ISO 20347:2022

SB : Basic safety OB : Basic requirements S4 : SB+A+E+FO O4 : OB+A+E+FO

Slip-resistant ceramic + detergent

Silp-resistant steel + glycerine SRC SRA + SRB

ALL MONTE RESERVED



Selvate Saler Stemati Nuk Milesa (Makey SS), Variation Stat 27 - 20 (20 Milesa, Indo

Anka Banin Sanayi ve Tinansi 170 (TÎ Yeşêyal Mah. Organise Sanayi, 6 Nels Cad Nel J Anain Trabason, Sürkiye

